


WITNESS MONUMENT TIES			
ID	BEARING	DISTANCE	DESCRIPTION
Witness A	N 3d E	40.2'	T-Post set 0.3' north of the north side of right-of-way marker in line with a north/south tree line. Monroe County "PROTECT NEARBY SURVEY MARKER" attached 2.6' above grade facing south.
Witness B	N 32d W	61.9'	Southeast corner of the concrete block foundation of the house at 3030 W Vernal Pike
MONUMENT ACCESSORIES			
Other survey grade monuments that were located in the vicinity and their relation to the monument. Geodetic coordinates in this table are provided in the format Easting, Northing.			
(#10161)	S 76d5'53" W	101.86'	3099309.37, 1432116.78 Cut X in south rim of water manhole on the south side of Vernal Pike at the back of curb & northwest of a fire hydrant
(#10164)	S 83d2'0" E	169.67'	3099576.66, 1432120.67 Cut X in the southwest back of curb inlet
(#10166)	N 83d26'45" E	172.88'	3099580.00, 1432160.98 Cut X in the northwest back of curb inlet
(#10168)	N 10d47'35" W	21.81'	3099404.16, 1432162.67 Cut X in the northwest back of curb inlet
(#10171)	S 11d13'19" W	22.46'	3099403.87, 1432119.22 Cut X in the southwest back of curb inlet

NOTES:


- Field work was performed on 02/04/2019 and 02/26/2019.
- Monroe County Surveyor's Field Book 52, page 80.
- Project Name: 2019-003_2019_INDOT_Network, Field work by: RSO & TER, Drawn by: RSO, Reviewed by: RSO, TER & SRB.
- The basis of bearings is Grid North NAD83(2011), Indiana West Zone, Epoch 2010.0000, Geoid Model G2012BU7, Datum NAD83_NO_TRANS, US Survey Feet, derived from GPS observations utilizing the Indiana Real-Time Network (INCORS). Distances obtained with GPS have not been adjusted to ground. Coordinate data was collected with a Javad Triumph LS Network Rover.
- Vicinity sketch was compiled per 2017 aerial photography. The aerial included above is not an accurate representation of the current site conditions.
- This corner was witnessed by the Monroe County Surveyor, Michael Friley, on September 18, 1996, at which time he replaced a masonry nail with a railroad spike. The origin of the 1" iron pin in monument box is unknown, however, it was previously accepted by Tracy McGill on the 2013 Location Control Route Survey for Interstate 69 Section 5 recorded as Instrument Number 2013013690 and by Matthew Knoy on a 2018 Boundary Survey recorded as Instrument Number 2018011331. We collected coordinates on the known monument in preparation for an upcoming construction project in the area. Historic research has not yet been performed to prove the validity of this monument.

▲ **Monument Description:** 1" iron pin found 0.2' below grade in 0.6' x 0.6' cast iron monument box

State Plane Grid Coordinates: Point No.:10063 Northing: 1432141.25', Easting: 3099408.24'

SHEET 1 OF 2	MONUMENT RECORD	Quarter Corner		OFFICE OF THE MONROE COUNTY SURVEYOR
	CORNER ID: Blm_C21	Section 30 & 31- T09N-R01W Bloomington Township Monroe County, Indiana		Trohn Enright-Randolph Monroe County Surveyor Rachel Savich Oser Professional Surveyor 119 West 7th Street, Bloomington, IN 47404 (812) 349-2570

Photos were taken on 02/04/2019 and 02/26/2019 with an iPhone 6s



Trohn Enright-Randolph
Trohn Enright-Randolph
Monroe County Surveyor

Accepted by the Monroe
County Surveyor Review Board
on 07/02/2019

Rachel Oser
Rachel Savich Oser, State of Indiana
Professional Surveyor No. 21100022

SHEET
2
OF
2

MONUMENT RECORD
CORNER ID:
Blm_C21

Quarter Corner
Section 30 & 31- T09N-R01W
Bloomington Township
Monroe County, Indiana



OFFICE OF THE MONROE COUNTY SURVEYOR
Trohn Enright-Randolph Monroe County Surveyor
Rachel Savich Oser Professional Surveyor
119 West 7th Street, Bloomington, IN 47404 (812) 349-2570

MONUMENT RECORD


Corner I.D. #

C-21

STATE OF INDIANA - COUNTY OF MONROE

Section Thirty-one, 31, Township 9 North, Range 1 West

Monument Description & Remarks: Replaced masonry nail with R.R. Spike at
North 1/4 corner of section.



State of Indiana
County of Monroe

Space
Reserved For
Recording
Officer

I, Michael W. Friley, County Surveyor, hereby certify
that this document was prepared under my direction in
accordance with the provisions of Section 17-3-64-4
through 17-3-64-8 of the Indiana Code, being Acts of 1965,
Chapter 319; and the above data is given under my hand and
seal this 20th day of September, 1996 A.D.

Indiana Registered Land Surveyor No. _____ or

Monroe County Surveyor's Office
United States Government Agency

Monroe County Surveyor
Title

Field Book:

96-01

Page:

90